

Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

# **GUARD CLEANER ALGAE & PROTECT - 7125**

Date: 03/04/2022 Page 1/11 Revision: N°3 (03/04/2022)

# **SAFETY DATA SHEET**

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: GUARD CLEANER ALGAE & PROTECT

Product code: 7125.

UFI: DQQM-V0ST-000J-8JAV

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrate Product To be diluted.

# 1.3. Details of the supplier of the safety data sheet

Registered company name: GUARD INDUSTRIE S.A.S.. Address: 7 Rue Gutenberg.93100.Montreuil.France. Telephone: 0155861760. Fax: 0148581689.

info@guardindustrie.com www.guardindustrie.com

# 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Skin corrosion, Category 1A (Skin Corr. 1A, H314).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

# 2.2. Label elements

Biocidal mixture (see section 15).

Mixture for spray application.

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:







GHS05

GHS07

GHS09

Signal Word : DANGER

Product identifiers:

EC 270-325-2 COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE,

CHLORURE

EC 299-135-8 PROPYLSILANETRIOLATE DE TRIPOTASSIUM

019-002-00-8 POTASSIUM HYDROXIDE

Additional labeling:



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

Date: 03/04/2022 Page 2/11

Revision: N°3 (03/04/2022)

**GUARD CLEANER ALGAE & PROTECT - 7125** 

Hazard statements:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary statements - Prevention:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection. P280

Precautionary statements - Response:

IF SWALLOWED: Call a POISON CENTER or a doctor if you feel unwell. P301 + P312

P301 + P330 + P331IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P304 + P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or a doctor. P321 In case of visiting a doctor, show the MSDS. P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

Precautionary statements - Storage:

P405 Store locked up.

Precautionary statements - Disposal:

P501 Dispose of contents/container referring to the local regulation.

# 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contains substances = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures

# **Composition:**

(EC) 1272/2008	Note	%
GHS07, GHS05, GHS09		25 <= x % < 50
Dgr		
Acute Tox. 4, H302		
Skin Corr. 1B, H314		
Eye Dam. 1, H318		
Aquatic Chronic 2, H411		
Aquatic Acute 1, H400		
M Acute = 10		
	GHS07, GHS05, GHS09 Dgr Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Aquatic Acute 1, H400	GHS07, GHS05, GHS09 Dgr Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Aquatic Acute 1, H400



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

Date: 03/04/2022 Page 3/11

Revision: N°3 (03/04/2022)

# **GUARD CLEANER ALGAE & PROTECT - 7125**

CAS: 93857-00-2	GHS05		2.5 <= x % < 10
EC: 299-135-8	Dgr		
REACH: 01-2119970331-43	Skin Corr. 1A, H314		
PROPYLSILANETRIOLATE DE			
TRIPOTASSIUM			
INDEX: 019-002-00-8	GHS05, GHS07	[1]	
CAS: 1310-58-3	Dgr		
EC: 215-181-3	Acute Tox. 4, H302		
	Skin Corr. 1A, H314		
POTASSIUM HYDROXIDE			

#### **Specific concentration limits:**

Identification	Specific concentration limits	ATE
CAS: 68424-85-1		oral: ATE = 795 mg/kg BW
EC: 270-325-2		
COMPOSÉ DE L'ION AMMONIUM		
QUATERNAIRE, BENZYL EN C12-16		
ALKYLDIMETHYLE, CHLORURE		
INDEX: 019-002-00-8	Skin Corr. 1A: H314 C>= 5%	
CAS: 1310-58-3	Skin Corr. 1B: H314 2% <= C < 5%	
EC: 215-181-3	Skin Irrit. 2: H315 0.5% <= C < 2%	
	Eye Dam. 1: H318 C>= 2%	
POTASSIUM HYDROXIDE	Eye Irrit. 2: H319 0.5% <= C < 2%	

# **Information on ingredients:**

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. description of first aid measures

# In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

# In the event of splashes or contact with skin:

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

# 5.1. Extinguishing media



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

### **GUARD CLEANER ALGAE & PROTECT - 7125**

Date: 03/04/2022 Page 4/11

Revision: N°3 (03/04/2022)

# 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Neutralise with an acidic decontaminant.

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

### Fire prevention:

Prevent access by unauthorised personnel.

# $\label{lem:commended} \textbf{Recommended equipment and procedures:}$

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

Keep away from food and drink, including those for animals.

### **Packaging**

Always keep in packaging made of an identical material to the original.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

### **GUARD CLEANER ALGAE & PROTECT - 7125**

# 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
1310-58-3			2 mg/m3		

- France (INRS - ED984 / 2020-1546):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
1310-58-3	-	-	-	2	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
1310-58-3		$2 \text{ mg/m}^3$			

### 8.2. Exposure controls

# Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):











Date: 03/04/2022 Page 5/11

Revision: N°3 (03/04/2022)

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

When spraying, wear a face shield in accordance with standard EN166.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

# - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

# - Body protection

Avoid skin contact.

Wear suitable protective clothing.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

# **GUARD CLEANER ALGAE & PROTECT - 7125**

Date: 03/04/2022 Page 6/11

Revision: N°3 (03/04/2022)

Suitable type of protective clothing:

Wear suitable protective clothing, in particular overalls and boots. These items must be kept in good condition and cleaned after use.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL A	AND (	CHEMICAL	PROPERTIES
------------------------	-------	----------	------------

9.1. Information on basic physical and chemical properties

Physical state

Physical state: Fluid liquid.

Colour

Unspecified

Odour

Odour threshold: Not stated.

**Melting point** 

Melting point/melting range: Not specified.

Freezing point

Freezing point / Freezing range: Not stated.

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not specified.

**Flammability** 

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Not stated. Explosive properties, lower explosivity limit (%): Explosive properties, upper explosivity limit (%): Not stated.

Flash point

Flash point interval: Not relevant.

**Auto-ignition temperature** 

Not specified. Self-ignition temperature :

**Decomposition temperature** 

Decomposition point/decomposition range: Not specified.

pН

pH: 13.50 +/-0.5. Strongly basic.

Not stated. pH (aqueous solution):

Kinematic viscosity

Viscosity: Not stated.

**Solubility** 

Water solubility: Soluble. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Not relevant. Vapour pressure (50°C):

Density and/or relative density

Density: > 1

Relative vapour density

Not stated. Vapour density:

9.2. Other information

No data available.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

# **GUARD CLEANER ALGAE & PROTECT - 7125**

Date: 03/04/2022 Page 7/11

Revision: N°3 (03/04/2022)

# 9.2.1. Information with regard to physical hazard classes

No data available.

### 9.2.2. Other safety characteristics

No data available.

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

# 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid:

- frost

# 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Harmful if swallowed.

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure for up to three minutes.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

# 11.1.1. Substances

### Acute toxicity:

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS: 68424-85-1)

Oral route: LD50 = 795 mg/kg

Species : Rat

# Skin corrosion/skin irritation:

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS: 68424-85-1)

Corrosivity: Causes severe skin burns.

Effect observed: Overall irritation score

# Respiratory or skin sensitisation:

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS: 68424-85-1)

Local lymph node stimulation test: Non-Sensitiser.

Species: Guinea pig

OECD Guideline 406 (Skin Sensitisation)

Guinea Pig Maximisation Test (GMPT): Non-sensitiser.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

# GUARD CLEANER ALGAE & PROTECT - 7125

Species: Guinea pig

OECD Guideline 406 (Skin Sensitisation)

Buehler Test: Non-sensitiser.

Species: Guinea pig

OECD Guideline 406 (Skin Sensitisation)

### 11.1.2. Mixture

No toxicological data available for the mixture.

# Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

### **SECTION 12: ECOLOGICAL INFORMATION**

Very toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

# 12.1. Toxicity

### 12.1.1. Substances

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS:

68424-85-1)

Fish toxicity: LC50 0.85 mg/l

Factor M = 1

Species : Oncorhynchus mykiss Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

NOEC = 0.0322 mg/l

Species : Pimephales promelas Duration of exposure : 28 days

EPA OPP 72-4 (Fish Early Life-Stage and Aquatic Invertebrate Life-Cycle Studies)

Date: 03/04/2022 Page 8/11

Revision: N°3 (03/04/2022)

Crustacean toxicity: EC50 0.016 mg/l

Species : Daphnia magna Duration of exposure : 48 h

OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

NOEC = 0.025 mg/l Species : Daphnia magna Duration of exposure : 21 days

OECD Guideline 211 (Daphnia magna Reproduction Test)

Algae toxicity: ECr50 = 0.02 mg/l

Species: Selenastrum capricornutum

Duration of exposure: 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

EC10 mg/l

Species : Selenastrum capricornutum

OECD Guideline 201 (Alga, Growth Inhibition Test)

# **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

### **GUARD CLEANER ALGAE & PROTECT - 7125**

# 12.2. Persistence and degradability

#### 12.2.1. Substances

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS: 68424-85-1)

Biodegradability: Rapidly degradable.

# 12.3. Bioaccumulative potential

#### 12.3.1. Substances

COMPOSÉ DE L'ION AMMONIUM QUATERNAIRE, BENZYL EN C12-16 ALKYLDIMETHYLE, CHLORURE (CAS: 68424-85-1)

Octanol/water partition coefficient : log Koe = 2.88

OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)

Date: 03/04/2022 Page 9/11

Revision: N°3 (03/04/2022)

# 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

# 12.6. Endocrine disrupting properties

No data available.

#### 12.7. Other adverse effects

No data available.

# German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 2: Hazardous for water.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

# 13.1. Waste treatment methods

Do not pour into drains or waterways.

# Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2021 - IMDG 2020 - ICAO/IATA 2021).

# 14.1. UN number or ID number

1760

# 14.2. UN proper shipping name

UN1760=CORROSIVE LIQUID, N.O.S.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S. Revision : N°3 (03/04/2022)

Date: 03/04/2022 Page 10/11

### **GUARD CLEANER ALGAE & PROTECT - 7125**

# 14.3. Transport hazard class(es)

- Classification:



8

# 14.4. Packing group

П

### 14.5. Environmental hazards

- Environmentally hazardous material :



# 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	8	C9	II	8	80	1 L	274	E2	2	E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.		Stowage Handling	Segregation
	8	-	II	1 L	F-A. S-B	274	E2	Category B SW2	-

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	8	-	II	851	1 L	855	30 L	A3 A803	E2
	8	-	II	Y840	0.5 L	-	-	A3 A803	E2

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

Marine pollutant (IMDG 3.1.2.9):(composé de l'ion ammonium quaternaire, benzyl en c12-16 alkyldimethyle, chlorure)

# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

# **SECTION 15: Regulatory information**

# $15.1.\ Safety, health\ and\ environmental\ regulations/legislation\ specific\ for\ the\ substance\ or\ mixture$

# - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

# - Container information:

Packaging to be fitted with child-resistant fastenings (see EC Regulation No. 1272/2008, Annex II, Part 3). Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

# - Particular provisions :

No data available.

# - Labelling for biocidal products (Regulation (UE) $n^{\circ}$ 528/2012) :

Name	CAS	%	Product-type
COMPOSÉ DE L'ION AMMONIUM	68424-85-1	480.00 g/kg	10
QUATERNAIRE, BENZYL EN C12-16			
ALKYLDIMETHYLE, CHLORURE			

Product-type 10: Construction material preservatives.



Version: N°1 (03/04/2022) GUARD INDUSTRIE S.A.S.

# **GUARD CLEANER ALGAE & PROTECT - 7125**

Date: 03/04/2022 Page 11/11

Revision: N°3 (03/04/2022)

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 2: Hazardous for water.

# 15.2. Chemical safety assessment

No data available.

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3:

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes  $50\%\,$  of the maximum response.

ECr50: The effective concentration of substance that causes 50% reduction in growth rate.

NOEC: The concentration with no observed effect.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

UFI : Unique formulation identifier. STEL : Short-term exposure limit TWA : Time Weighted Averages

TMP : French Occupational Illness table TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS05: Corrosion

GHS07 : Exclamation mark GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.