

Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

NET'GUARD ULTRA 4 IN 1 - 1352

Date: 06/03/2022 Page 1/10

Revision: N°3 (06/03/2022)

SAFETY DATA SHEET(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: NET'GUARD ULTRA 4 IN 1

Product code: 1352.

UFI: A2R3-Y041-T00K-GS8E

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaning product Professional use.

1.3. Details of the supplier of the safety data sheet

Registered company name: GUARD INDUSTRIE S.A.S.. Address: 7 Rue Gutenberg.93100.Montreuil.France. Telephone: 0155861760. Fax: 0148581689.

info@guardindustrie.com www.guardindustrie.com

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

Detergent mixture (see section 15).

Mixture for spray application.

In compliance with EC regulation No. 1272/2008 and its amendments.

No labelling requirements for this mixture.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contains substances= 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

NET'GUARD ULTRA 4 IN 1 - 1352

Date: 06/03/2022 Page 2/10

Revision: N°3 (06/03/2022)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	Note	%
INDEX: 011-005-00-2	GHS07		2.5 <= x % < 10
CAS: 497-19-8	Wng		
EC: 207-838-8	Eye Irrit. 2, H319		
SODIUM CARBONATE			
CAS: 68585-34-2	GHS05		2.5 <= x % < 10
EC: 500-223-8	Dgr		
REACH: 01-2119488639-xxxx	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
C10-C16 ALKYL ETHOXY SULFATE DE			
SODIUM			

Specific concentration limits:

Identification	Specific concentration limits	ATE
CAS: 68585-34-2	Eye Dam. 1: H318 C>= 20%	
EC: 500-223-8	Eye Irrit. 2: H319 20% <= C < 20%	
REACH: 01-2119488639-xxxx		
C10-C16 ALKYL ETHOXY SULFATE DE		
SODIUM		

Information on ingredients:

(Full text of H-phrases: see section 16)

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes:

Wash immediately and thoroughly with water during 15 minutes. Consult a doctor.

Remove contact lenses

In the event of splashes or contact with skin:

Wash immediately and thoroughly with water. Take off the sullied clothes. In case of persisting irritation, seek for medical attention. Wash sullied clothes before using them again.

In the event of swallowing:

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

NET'GUARD ULTRA 4 IN 1 - 1352

Date: 06/03/2022 Page 3/10

Revision: N°3 (06/03/2022)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Fire prevention:

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Storage temperature: between 5 and 25°C.

keep away from direct solar light.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

Derived no effect level (DNEL) or derived minimum effect level (DMEL):

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2) Workers.

Final use:

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

NET'GUARD ULTRA 4 IN 1 - 1352

Date: 06/03/2022 Page 4/10

Revision: N°3 (06/03/2022)

DNEL: 2750 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 175 mg of substance/m3

Final use: Consumers.

Exposure method: Ingestion.

Potential health effects: Long term systemic effects. DNEL: 15 mg/kg body weight/day

Exposure method: Dermal contact.

Potential health effects: Long term systemic effects. DNEL: 1650 mg/kg body weight/day

Exposure method: Inhalation.

Potential health effects: Long term systemic effects. DNEL: 52 mg of substance/m3

SODIUM CARBONATE (CAS: 497-19-8)

Final use: Workers. Exposure method: Inhalation.

Potential health effects: Long term local effects.

DNEL: 10 mg of substance/m3

Final use: Consumers. Exposure method: Inhalation.

Potential health effects: Long term local effects. DNEL: 10 mg of substance/m3

Predicted no effect concentration (PNEC):

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

Environmental compartment: Soil.

PNEC: 0.946 mg/kg

Fresh water. Environmental compartment: PNEC: 0.24 mg/l

Environmental compartment: Sea water. PNEC: 0.024 mg/l

Intermittent waste water. Environmental compartment:

PNEC: 0.071 mg/l

Fresh water sediment. Environmental compartment:

PNEC: 5.45 mg/kg

Environmental compartment: Marine sediment. PNEC: 0.545 mg/kg

Environmental compartment: Waste water treatment plant.

PNEC: 10000 mg/l



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

Date: 06/03/2022 Page 5/10

Revision: N°3 (06/03/2022)

NET'GUARD ULTRA 4 IN 1 - 1352

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):





Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

- Body protection

pH:

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state	
Physical state :	Fluid liquid.
Colour	•
N/A	
Odour	
Odour threshold:	Not stated.
N/A	
Melting point	
Melting point/melting range:	Not specified.
Freezing point	
Freezing point / Freezing range:	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range:	Not specified.
Flammability	
Flammability (solid, gas):	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%):	Not stated.
Explosive properties, upper explosivity limit (%):	Not stated.
Flash point	
Flash point interval:	Not relevant.
Auto-ignition temperature	
Self-ignition temperature :	Not specified.
Decomposition temperature	
Decomposition point/decomposition range :	Not specified.
pH	

10.50 +/- 0.5.

Slightly basic.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

NET'GUARD ULTRA 4 IN 1 - 1352

pH (aqueous solution):

Not stated.

Date: 06/03/2022 Page 6/10

Revision: N°3 (06/03/2022)

Kinematic viscosity

Viscosity: Not stated.

Viscosity: $v < 7 \text{ mm}2/s (40^{\circ}\text{C})$

Solubility

Water solubility: Soluble. Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 1,05 +/- 0.02

Relative vapour density

Not stated. Vapour density:

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid:

- frost

10.5. Incompatible materials

Keep away from:

- acids

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No data available.

11.1.1. Substances

Acute toxicity:

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2) LD50 > 2000 mg/kgOral route:

OECD Guideline 401 (Acute Oral Toxicity)



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

NET'GUARD ULTRA 4 IN 1 - 1352

Skin corrosion/skin irritation:

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

Corrosivity: No observed effect.

Species: Rabbit

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Date: 06/03/2022 Page 7/10

Revision: N°3 (06/03/2022)

Effect observed: Overall irritation score

Irritation: Causes skin irritation.

2.3 <= Average score <= 4.0

Species: Rabbit

OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious damage to eyes/eye irritation:

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

Causes serious eye damage.

Corneal haze: Average score ≥ 3

Species: Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Iritis: Average score > 1.5

Species: Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

The substance produces at least in one animal effects on the conjunctiva that are not expected to reverse or have not fully reversed within an observation period of normally 21 days.

Species: Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

The substance produces at least in one animal effects on the conjunctiva that are not expected to reverse or have not fully reversed within an observation period of normally 21 days.

Species: Rabbit

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Germ cell mutagenicity:

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

No mutagenic effect.

Carcinogenicity:

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

Carcinogenicity Test: Negative.

No carcinogenic effect.

Reproductive toxicant:

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2)

No toxic effect for reproduction

11.1.2. Mixture

No toxicological data available for the mixture.



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

Date: 06/03/2022 Page 8/10

Revision: N°3 (06/03/2022)

NET'GUARD ULTRA 4 IN 1 - 1352

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2) Fish toxicity: 10 < LC50 <= 100 mg/lDuration of exposure: 96 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

C10-C16 ALKYL ETHOXY SULFATE DE SODIUM (CAS: 68585-34-2) Biodegradability: Rapidly degradable.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 1: Slightly hazardous for water.

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S.

NET'GUARD ULTRA 4 IN 1 - 1352

Date: 06/03/2022 Page 9/10

Revision: N°3 (06/03/2022)

14.4. Packing group

-

14.5. Environmental hazards

_

14.6. Special precautions for user

-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

- Container information:

No data available.

- Particular provisions :

No data available.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006):

- less than 5 %: anionic surfactants

- less than 5 % : nonionic surfactants

- less than 5 % : soap

- preservation agents

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws):

WGK 1 : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period.

LC50: The concentration of a test substance resulting in 50% lethality in a given period.

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

DNEL: Derived No-Effect Level

PNEC : Predicted No-Effect Concentration UFI : Unique formulation identifier.

STEL : Short-term exposure limit TWA : Time Weighted Averages

TMP: French Occupational Illness table



Version: N°1 (06/03/2022) GUARD INDUSTRIE S.A.S. Date: 06/03/2022 Page 10/10

Revision: N°3 (06/03/2022)

NET'GUARD ULTRA 4 IN 1 - 1352

TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.